

Deborah C. Prosser (SBN 109856)
Stephanie A. Hingle (SBN 199396)
KUTAK ROCK LLP
515 So. Figueroa Boulevard, Suite 1240
Los Angeles, CA 90071
Telephone: (213) 312-4000
Facsimile: (213) 312-4001
Email: Deborah.Prosser@KutakRock.com
Email: Stephanie.Hingle@KutakRock.com

Attorneys for Defendants
GENERAL ELECTRIC COMPANY and
GE HEALTHCARE INC.

UNITED STATES DISTRICT COURT
NORTHERN DISTRICT OF CALIFORNIA, SAN FRANCISCO

JOE V. SANCHEZ and SANDRA L.
ROARTY-SANCHEZ,

Plaintiffs,

v.

BAYER HEALTHCARE
PHARMACEUTICALS, INC.;
BAYER HEALTHCARE LLC;
GENERAL ELECTRIC
COMPANY; GE HEALTHCARE,
INC.; TYCO INTERNATIONAL,
INC.; COVIDIEN, INC.; TYCO
HEALTHCARE GROUP, LP;
MALLINCKRODT, INC.; and
BRACCO DIAGNOSTICS, INC.

Defendants.

Case No. 3:08-CV-00973 EMC

**NOTICE OF RELATED CASE
PURSUANT TO L.R. 83-1.3**

[Jury Trial Demanded]

**TO THE COURT, ALL PARTIES AND THEIR COUNSEL OF
RECORD:**

PLEASE TAKE NOTICE that pursuant to Local Rule 83-1.3 for the
United States District Court, Central District of California, Defendants General
Electric Company and GE Healthcare Inc. identify the following related cases

4835-1297-1266.1

- 1 -

NOTICE OF RELATED CASE

CASE NO.: 3:08-CV-0973 EMC

1 within the Central District:

2 (1) *Montie Beckwith, et al. v. Bayer Healthcare Pharmaceutical, Inc., et*
3 *al.*, Case No. 3:08-CV-1369 (JCS) (filed on or about March 10, 2008).
4 Plaintiffs have brought a personal injury claim arising out of the
5 administration of Gadolinium-based contrast agents (“GBCA”) they
6 claim were manufactured by GE Healthcare Inc. and other defendants.
7 Plaintiffs assert traditional product liability claims against the
8 defendants, including claims that the GBCA were defectively
9 manufactured and accompanied by inadequate warnings.

10 (2) *Amy Osborn, et al. v. Bayer Healthcare Pharmaceuticals, Inc., et al.*,
11 Case No. 3:08-cv-01368 (SI) (filed on or about March 10, 2008).
12 Plaintiffs have brought a personal injury claim arising out of the
13 administration of Gadolinium-based contrast agents (“GBCA”) they
14 claim were manufactured by GE Healthcare Inc. and other defendants.
15 Plaintiffs assert traditional product liability claims against the
16 defendants, including claims that the GBCA were defectively
17 manufactured and accompanied by inadequate warnings.

18 (3) *Paschal, et al. v. Bayer Healthcare Pharmaceuticals, Inc., et al.*, Case
19 No. 03:08-CV-01298 (EMC), (filed on or about March 5, 2008).
20 Plaintiffs have brought a personal injury claim arising out of the
21 administration of Gadolinium-based contrast agents (“GBCA”) they
22 claim were manufactured by GE Healthcare Inc. and other defendants.
23 Plaintiffs assert traditional product liability claims against the
24 defendants, including claims that the GBCA were defectively
25 manufactured and accompanied by inadequate warnings.

26 ///


27 ///

28 ///

1 (4) *Orellene Seabold, et al. v. Bayer Healthcare Pharmaceuticals, Inc., et*
2 *al.*, Case No. 03:08-CV-01367 (EMC), (filed on or about March 10, 2008).
3 Plaintiffs have brought a personal injury claim arising out of the administration of
4 Gadolinium-based contrast agents ("GBCA") they claim were manufactured by GE
5 Healthcare Inc. and other defendants. Plaintiffs assert traditional product liability
6 claims against the defendants, including claims that the GBCA were defectively
7 manufactured and accompanied by inadequate warnings.

8 Dated: March 26, 2008

KUTAK ROCK LLP

9
10 By: 
11 Deborah C. Prosser
12 Stephanie A. Hingle
13 Attorneys for Defendants
14 GENERAL ELECTRIC COMPANY
15 and GE HEALTHCARE INC.
16
17
18
19
20
21
22
23
24
25
26
27
28